







AGENDA

- Introduction to CYHS
- Demographics of Survey PCSSD Participants
- Summary of PCSSD findings
- Detailed findings Little Rock 72205 and 72209

What is the County Youth Health Survey (CYHS)?

The CYHS is an 87 item multiplechoice questionnaire which was developed by the Centers for Disease Control and Prevention to measure behaviors that put youth health at risk.

In Pulaski County Special School District (PCSSD)...

- Survey was administered in September 2006
- A total of 5,844 students in 7th-12th grade completed valid surveys
 - هر 116 (72205)
 - *∞*182 (72209)
- The survey was representative of the 7th 12th grade school population

Interpretation of Results


- "Snapshot in time"
- As accurate as students' reporting
- Edited for consistency
- Confidential

What it covers...

- Behaviors that result in intentional & unintentional injuries
- Alcohol & other drug use
- Sexual behaviors
- Physical activity


Demographics of Survey PCSSD Participants

Gender




Demographics of Survey PCSSD Participants (cont.)


Age




Demographics of Survey Participants (cont.)




Summary of PCSSD CYHS Physical Safety/Injuries




Summary of PCSSD CYHS <u>Tobacco</u>




Summary of PCSSD CYHS Alcohol and other Drugs




Summary of PCSSD CYHS <u>Sexual</u> <u>Behavior</u>



Summary of PCSSD CYHS <u>Diet and Exercise</u>




Summary of PCSSD CYHS Behavior on School Property







Percentage of students who never or rarely wore a seat belt when riding in a car driven by someone else



Of students who rode a bicycle during the past 12 months, the percentage who never or rarely wore a helmet




Percentage of students who drove a car or other vehicle one or more times when they had been drinking







Percentage of students who carried a weapon such as a gun, knife, or club on one or more of the 30 days preceding the survey




Percentage of students who carried a gun on one or more of the 30 days preceding the survey




Percentage of students who were in a physical fight one or more times during the 12 months preceding the survey







Percentage of students who felt so sad or hopeless for two weeks or longer that they stopped doing some of their usual activities during the past 12 months




Percentage of students who seriously considered attempting suicide in the 12 months preceding the survey




Percentage of students who actually attempted suicide one or more times during the past 12 months







Percentage of students who smoked cigarettes on one or more of the past 30 days




Of the students who smoked during the past 30 days, the percentage who smoked two or more cigarettes per day on the days they smoked



Percentage of students who used chewing tobacco or snuff on one or more of the past 30 days




Percentage of students who smoked cigars, cigarillos, or little cigars in the past 30 days






Percentage of students who had at least one drink of alcohol on one or more of the past 30 days




Percentage of students who had five or more drinks of alcohol in a row, that is, within a couple of hours, on one or more of the past 30 days







Percentage of students who used marijuana on one or more times during the past 30 days



Percentage of students who sniffed glue, breathed the contents of aerosol spray cans inhaled paints or sprays to get high during their life




Percentage of students who took steroid pills or shots without a doctor's prescription one or more times during their life







Percentage of students who had sexual intercourse for the first time before age 13




Percentage of students who have had sexual intercourse with four or more partners during their lifetime




Percentage of students who had sexual intercourse during the past three months



Of the students who had sexual intercourse, the percentage that drank alcohol or used drugs before last sexual intercourse




Percentage of students who have been taught about AIDS or HIV infection in school






Percentage of students who are overweight, as calculated by Body Mass Index (BMI)



Percentage of students who were trying to lose weight





Data for the State and National YRBS



LITTLE ROCK 72205 & 72209 (PCSSD) CYHS 2006 Grades 7th-12th

A Tool for Your Campaign for Healthy Young People

County Youth Health Survey